Application to 09/673 174

NOTICE OF DRAFTSPERSON'S PATENT DRAWING REVIEW

21 (London 20 Forth Physical Addition of the Common	words on at apper on a horizontal, ich is origin todom which page out the page of the post of the the pick of the country of the country of the country of the page of the pag
Percei and mortals and organized Figs.) PERCOCKANIS (CFE) Lablago (Percei Lablago) (Percei	9 SCALE VCPR 1844) Sche die toge drought is dess mechanism without errording when das mit in reduced in size to two-minds in genoticities. 10 CHARACTER OF LINES, NUMBERS, A LETTERS VCFR 1840) Long marters. A kiterio de underziely has and sell dessention of the company of th
FRITTOCHAPHS A TERE 13-40. PRINCIPLE AND TREATMENT OF THE TEREST TEREST TREATMENT TO THE OFFICE AND THE OFFICE	Socie on large cough to about mechanism whole counding to the date on gir reduced in ord in Neurolean or for two-inholia repolations. 10. CHARACTER OF LINES, NUMBERS, A LETTERS TUEFT EASI. 12. CFR EASI. 13. CFR EASI. 14. CFR EASI. 15. CFR EASI. 15. CFR EASI. 16. CFR EASI. 16. CFR EASI. 16. CFR EASI. 17. CFR EASI. 18. CFR EA
I full-interest in required Fig.3 Protographs must be medical 37 CFR 1 siles protographs must be medical 37 CFR 1 siles protographs must be m	crowding when data my an reduced in size to be solutional reproduction. In CHAS CHASE CHASE, NUMBERS, A LETTERS TO THE STATE OF THE STATE CHASE
Proceedings believed [Figs] Proced Parter Sept. 1981. Page or reflecible strongs whit, and durable Proced Parter Sept. 1981. Page or reflecible strongs whit, and durable Proced Parter Sept. 1981. Proced P	Fig. 3 Fig. 3 Fig. 3 Fig. 3 Fig. 3 Fig. 4 Fig. 4 Fig. 3 Fig. 4 Fig. 5 Fig. 5 Fig. 6 Fig. 7 Fig. 6 Fig. 7 Fig. 7
TOTE OF PATER AS CREATED AND PROPERTY OF THE P	In CHARACTER OF LINES, WIMMERS, A LETTIES VCFR 1840) Lines markers. A harm on undertally has and sell deleted than plonely, and think types for consistent of the plonely and think types for consistent of the plonely and the planely and types for consistent of the planely and types for the planely and thinks can planely and promiting from additions to another promiting from additions to another promiting from the planely and types for the planely to the planely and the planely to the planely and the planely the planely the planely to the planely and the planely the pl
Pages for the help strong white and durible Figs's Entress the time of the help strong the figs's Estates the time of the help strong the figs of the first strong the first str	TO CER 1840 Loss counters & hours not undurable his and ael delicities on an epidem and their processing of the country of th
Figs. Example, differentially oversentings interfanciations to the production of the production must not incepted. Figs. Example, dispose a confidence production of the pr	Lines numbers & Nation of undersoly the a sol of all cliented views, peoples, and blast, point the guiding 1. 1 MILLS of the sol of
Ensures, lifet moiss, one at name, interfermations, olds, copy, machine marks one negative Figure Maria is a sharing party of our description facts that it is a sharing party of our description facts that it is a sharing party of our description facts and it is a sharing party of the Read of Section 10 2 x 10 at 10 a	defined, etc., pepties, and bask give the module 1 Figs) 20 Filk a long 11 SHADNOS 20 Filk a long 21 SHADNOS 20 Filk a long 22 SHADNOS 20 Filk a long 23 SHADNOS 20 Filk a long 24 SHADNOS 20 Filk a long 25 SHADNOS 20 Filk a long 25 SHADNOS 20 Filk a long 26 SHADNOS 20 Filk a lon
only copy maghine marks not incepted. Figors Mail acknowledge for your Agriculture State of Details. A Cliff Shaff, Anceptatin, saves 21 men by 27 men (New York) 21 men by 27 men (New York) A time only acknowledge for the save for the saves A time on partners on the current of the save for the saves A time on partners on the current of the save for the saves A time of the saves on the saves for the saves A time of the saves of the saves for the saves A time of the saves of the saves for the saves A time of the saves of the saves for the saves A time of the saves of the saves of the saves Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Bottom 1.0 m. Top 2.5 m. Left 2 time Right 1.5 m. Top 2.5 m. Left 2 time Right 1.5 m. Top 2.5 m. Left 2 time Right 1.5 m. Top 2.5 m. Left 2 time Right 1.5 m. Top 2.5 m. Left 2 time Right 1.5 m. Top 2.5 m. Left 2 time Right 1.5 m. Top 2.5 m. Top	Figur JOL Line State Sta
SEGN OF PAPER STEEL SHAFT AND	solid block area polic (Fgrs) Solid block bading an germelling Figs) Solid block bading an germelling Figs) Solid block bading and found Figs) Solid block bading and found Figs) Solid block bading and found Figs) Figs) Solid block bading from the figs of the
SEE OF PAPER VEHE 18-ALT ANAPON SEE 21 (1978) 27 (2011) No. 12 A 11 minuses 23 (1978) 27 (2011) A 2 A 11 minuses 24 (1978) 27 (2011) A 2 A 11 minuses 25 (1978) 27 (2011) A 2 A 11 minuses 26 (1978) 27 (2011) A 2 A 11 minuses 27 (2011) A 27 (2011) A 27 (2011) A 11 minuses 28 (2011) A 27 (2011) A 27 (2011) A 11 minuses 29 (2011) A 27 (2011) A 27 (2011) A 11 minuses 29 (2011) A 27 (2011) A 27 (2011) A 27 (2011) 20 (2011) A 27 (2011) A 27 (2011) A 27 (2011) 20 (2011) A	Solid block should ge only generated Figure Should block should ge only generated Figure Should block should ge only generated block should be s
2.1 (Levins 24.7 ser 10 Novar Ali 2.2 (Levins 2.2 kg) I linenses 2.2 (Levins 2.2 kg) I linenses 2.2 (Levins 2.2 kg) I linenses 2.3 (Levins 24.2 kg) I linenses 2.3 (Levins 24.2 kg) I linenses 3.4 (Levins 24.2 kg) I linenses	Shade hims, pute, rough and brand. Figurs 1. SMBHS, ETERBA & REPERSENCE CHARACTERS 1. CFR 1. SAIp. 1. CFR 1. SAIp. Figur. Figur. Figur. Saip. Figur. Saip.
2 to Annies 2 To General 2 S. H. British A. St. Bri	12. N. NOBERS, LETTIES, & REFERENCE HARANTERS, 15 (18) Label Figure Figure Figure Send to determine, characters and plan and lappine Figure lappines are poor Figure Figure lappines and reference characters and oriented in the figure control of the figure Conf. (Suppri) Figure Figur
At the neg section of the curs, size North 1 N	Numbers and netteress chanalism and plann and legate Figs) Figure ligands are poor. Figs. Figure ligands are poor. Figs. Numbers and electrons detailed in not overeined in the same directions detailed. Fig. VCFR 1.54(pp. 1) Figs. Simple diplatment and seed. 37 CFR 1.54(pp. 2) Simples, letters and reference chanalism and bear across
Sheet V. Deavings deter not an acceptable over Tipe V. VIRILIAS 2 CEET Long. Acceptable margine. Top 2 See Let 2 Ceet Regal 1 See Boston 10 See Top 2 See Let 2 Ceet Regal 1 See Boston 10 See Top 2 See Let 2 Ceet Regal 1 See Boston 10 See Top 2 See Let 2 Ceet Regal 1 See Boston 10 See Top 2 See Let 2 Ceet Regal 1 See Roston 10 See Top 2 See Let 2 Ceet Regal 1 See Roston 10 See Top 2 See Regal 1 See Regal 1 See Roston 10 See Top 2 See Regal 1 See Regal 1 See Roston 10 See Top 2 See Regal 1 See R	Fig.(s) Figure Egends are poor. Figs(s) Vumbers and reference characters not oriented in the same directions in the size. 3° CFR 1.84 pin 2° IF 18 pin 3° CFR 1.84 pin 3° CFR
MARGUS \$7.5 FR 1-4 Jag. Acceptable margers Top 2.5 on Lett 2.5 om Regist 1.5 on Bostoni 10 cm State 4.4 Soc Top 2.5 on Lett 2.5 om Regist 1.5 on Bostoni 10 cm Margon on acceptable 5 face 1.5 of 1.4 ft. 1.4 ft. 1.5 of 1.5 o	Figure legends are poor. Figure Sumbers and reference characters not oriented in the same direction as the view. V*CFR 1.84(pt 1) Figure English alphibet not used: 3*CFR 1.84(pt 2) Fig. Sumbers, letters and reference characters must be as accusated.
Top 2.5 on Left 2.5 on Right 1.5 on Bottom 1.0 cm. SIZE A4 Sur. Top 2.5 on Left 2.5 on Bottom 1.0 cm. Top 2.5 on Left 2.5 on Bottom 10.6 on Top 2.5 on Left 2.5 on Left 2.5 on Bottom 10.6 on Top 2.5 on Left 2.5 on Left 2.5 on Bottom 10.6 on Top 2.5 on Left 2.	Numbers and reference characters not oriented in the same direction as the view. 37 CFR S44 pt 13 English alphabet not used 37 CFR S44 pt 14 English alphabet not used 37 CFR S44 pt 25 English alphabet not used 37 CF
SIZE A4 5/25 Top 25 on Text 15 cm Right 5 cm Bottom 10 cm SIZE 81 2 cm 1 cm Bottom 10 cm SIZE 81 2 cm 1 cm	same direction as the view 37 CFR 1.84(pit 1) Figst English alphabet not used37 CFR 1.84(pit 2) English alphabet not used37 CFR 1.84(pit 2) Figs Figs
SIZE A4 5/25 Top 25 on Text 15 cm Right 5 cm Bottom 10 cm SIZE 81 2 cm 1 cm Bottom 10 cm SIZE 81 2 cm 1 cm	Fig. 1 English alphabet not used: 3° CFR 1 84(pit2) Fig. 8 Numbers, letters and reference characters must be at account.
SIZE 812 11 12 13 13 13 13 13	/4 / Figs.
Margins meta-cegtable Fig. 44 6 8 13 13B Top (7) Cele (1)	Sumbers, letters and reference characters must be at activity
Top (7) Cele (1) Right (R) Bottom (B) VIEWS 17 (FR 1 84in) REMINDER: Specification may require revision (1)	22 am of R model in building 12 CER 1 Kd == 2
Right (R) Bottom (B) 15, 16 REMINDER: Specification may require revision (1)	
REMINDER: Specification may require recision to	Figs 9 A - 9 CFR 1 84(p)(3)
REMINDER. Specification may require revision ()	13 LEAD LINES, 37 (FR 1 84(q)
comparement to design on a feature s	Lead lines cross each other Figist
	— Léad lines missing. Figus)
Partial's icws 37 CFR 1 S4(h)(2)	14 NUMBERING OF SHEETS OF DRAWINGS 37 CFR 1.84(c) Sheets not numbered consecutively, and in Arabic numerals
Brickets needed to show figure as one entits: Figure 1	beginning with number 1. Shreats)
Views and labeled separately or properly	AL NUMBER INCOMENTERS AND FRANCE
Figist	Views not numbered consecutorely, and in Aribic numerily
Linkinged view for othered separately or properly	beginning with number 1 Fig.s)
Fig.s	CORRECTIONS 3º CFR 1.84(w.) Corrections not made from prior PTO 948
	dited
* SECTION ALVIEWS 17 CER 184 (b)(b) Hatching not put of cutof for sectional portrors or mode of	1" DESIGN DRAWINGS 3" CFR 1 152
Fig.s.	Surface shading shown not appropriate. Fig. s.
Sectional designation should be noted with Arabic or	Solid black shading not used for color contrist
Roman numbers Figis)	Fig.(s)

OBR DATE 11/6/01 TELEPHONE NO. 7033081359

ATTACHMENT TO PAPER NO. __

REMINDER

 Drawing changes may also require changes in the specification, e.g., if Fig. 1 is changed to Fig 1A, Fig. 1B, Fig.1C, etc., the specification, at the Bird Description of the Drawing, must likewise be changed. Please make such changes by 37 CFR 1.312 Amendment at the time of submitting drawings.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Drawings - 37 CFR 1.85

File new drawings with the changes incorporated therein. Identitying indexia, if provided, should include the title of the invention, inventor's name, and application number, on docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top furgin. The drawing should be filed as a separate paper with a transmittal letter addressed to the Drawing Review Branch.

2. Timing for Corrections

Applicant is required to submit acceptable corrected drawings within the three-month shortened statutory period set in the Notice of Allowability (PTOL-37).

Failure to take corrective action within set, period will result in ABANDONMENT of the Application.

3. Corrections other than Defects Noted by the Drawing Review Branch on the Form PTO-948

All changes to the drawings, other finan defects noted by the Drawing Review Branch, MUST be approved by the examiner before the application will be allowed. No changes will be permitted other than correction of defects, unless the examiner Jasa approved the proposed changes.

Attachment for PTO-948 (Rev. 03/01, or earlier) 6/18/01

The below text replaces the pre-printed text under the heading, "Information on How to Effect Drawing Changes," on the back of the PTO-948 (Rev. 03/01, or earlier) form.

INFORMATION ON HOW TO EFFECT DRAWING CHANGES

1. Correction of Informalities - 37 CFR 1.85

New corrected drawings must be filed with the changes incorporated therein. Identifying indicia, if provided, should include the title of the invention, inventor's name, and application number, or docket number (if any) if an application number has not been assigned to the application. If this information is provided, it must be placed on the front of each sheet and centered within the top margin. If corrected drawings are required in a Notice of Allowability (PTOL-37), the new drawings MUST be filed within the THREE MONTH shortened statutory period set for reply in the Notice of Allowability. Extensions of time may NOT be obtained under the provisions of 37 CFR 1.136(a) or (b) for filing the corrected drawings after the mailing of a Notice of Allowability. The drawings should be filed as a separate paper with a transmittal letter addressed to the Official Draftsperson.

2. Corrections other than Informalities Noted by Draftsperson on form PTO-948.

All changes to the drawings, other than informalities noted by the Draftsperson, MUST be made in the same manner as above except that, normally, a highlighted (preferably red ink) sketch of the changes to be incorporated into the new drawings MUST be approved by the examiner before the application will be allowed. No changes will be permitted to be made, other than correction of informalities, unless the examiner has approved the proposed changes.

Timing of Corrections

Applicant is required to submit the drawing corrections within the time period set in the attached Office communication. See 37 CFR 1.85(a).

Failure to take corrective action within the set period will result in **ABANDONMENT** of the application.